

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	193	switch with (link or port) with failure and (probe or heart\$6) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/26 17:24
L2	22	switch with (probe or heart\$6) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310") and (failover or fail\$over or fail over) and (NIC or NID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/26 17:24
L3	65	switch near3 (failover or fail\$over or fail over) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310") and (NIC or NID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/26 17:24
S1	1	US20050215128A1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 13:49
S2	4376	709/238,250.ccls. and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 14:40
S3	2670	709/238,250.ccls. and (NIC or NID or network\$interface\$card or network\$interface\$device or adapter or switch) and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 14:48
S4	50	709/238,250.ccls. and (NIC or NID or network\$interface\$card or network\$interface\$device or adapter or switch) and blade and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 14:49

S5	167	709/238,250.ccls. and (NIC or NID or network\$interface\$card or network\$interface\$device or adapter or switch) and fault tolerance and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 16:26
S6	4	"20050076231"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:14
S8	80	(NIC or NID or network\$interface\$card or network\$interface\$device or adapter or switch) and load balanc\$3 and fail\$over and fail\$back and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:20
S13	76	server and load balanc\$3 and fail\$over and fail\$back and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:35
S16	3	server and load balanc\$3 and fail\$over and fail\$back and snmp and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 17:37
S17	76	server and load balanc\$3 and fail\$over and fail\$back and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/04 18:03
S20	15680	server and (adapter or NIC or network interface card or network interface device) and switch and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 09:47
S22	7252	server and (network adapter or NIC or network interface card or network interface device) and switch and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 10:31
S23	495	server and (network adapter or NIC or network interface card or network interface device) and switch and (fail\$over) and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 11:01

S24	1619	server and (network adapter or NIC or network interface card or network interface device) and switch and fault and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 11:40
S25	1542	server and (network adapter or NIC or network interface card or network interface device) and switch and fault and (query or request or status) and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 11:41
S26	174	server and (network adapter or NIC or network interface card or network interface device) and switch and fault and (query or request or status) not storage and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/05 12:53
S28	2	"20050215128"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/06 11:57
S29	399	snmp near5 query and server and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/06 14:49
S30	109	snmp near5 query and server and (network adapter or NIC or network interface card or network interface device) and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/06 14:50
S31	11	snmp near10 query and server and (network adapter or NIC or network interface card or network interface device) and (fail\$over or fail\$back or load \$balanc\$5) and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/07 09:04
S32	2	"20050058063"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/07 09:08

S38	9	"6285656"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/07 09:39
S39	235	server and (network adapter or NIC or network interface card or network interface device) and switch and (fail\$over) and query and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/07 09:40
S40	48	"6393483"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/07 14:45
S41	3	querying near2 switch and 709/238,250.ccls. and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 12:06
S42	12	query near2 switch and 709/238,250.ccls. and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 12:11
S43	15	(query or querying) near2 (switch or switches) and 709/238,250.ccls. and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 12:12
S44	1265	(query or querying) near2 (switch or switches) and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 12:13
S45	4	(query or querying) near2 (switch or switches) and blade server and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 12:13
S46	13	(query or querying or status) near2 (switch or switches) and blade server and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 12:14

S47	104	(query or querying or status) near2 (switch or switches) and port and (NIC or NID or network \$interface\$card or network \$interface\$device) and (@ad<="20040310" or @pd<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/12/14 12:33
S48	1	(switch same external port) and load balanc\$3 and fail\$over and fail\$back and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 09:47
S49	1	(switch same external port) and (load balanc\$5 or load\$balanc \$5) and (fail\$over or fail over) and (fail\$back or fail back) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 09:48
S50	580	(switch same external port) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 09:48
S51	127	(switch same external port) and fail and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 09:49
S52	249	(switch same external port) and fail\$5 and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 09:49
S53	21	switch and (external port with status) and fail\$5 and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 09:54
S54	9	"6285656"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 10:45

S55	3718	switch and (fail\$over or fail over) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 17:07
S56	625	switch with (fail\$over or fail over) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 17:07
S57	225	switch with (fail\$over or fail over) and query and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 17:08
S58	6	(switch with (fail\$over or fail over)) same query and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 17:08
S59	87	(switch with (fail\$over or fail over)) and query and status and driver and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 17:28
S60	576	370/217.ccls. and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 18:32
S61	9	query and driver and status and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")and 370/217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 18:41
S62	2	intermediate driver and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")and 370/217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/27 18:43
S63	75	370/217.ccls. and (interface \$device or interface\$card or NID or NIC or adapter or adaptor) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 10:20

S64	382	370/216-228.ccls. and (interface \$device or interface\$card or NID or NIC or adapter or adaptor) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 11:08
S66	127	370/216-228.ccls. and (interface \$device or interface\$card or NID or NIC or adapter or adaptor) same switch and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 11:20
S67	16	370/216-228.ccls. and (switch near2 side near2 port) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 13:24
S75	178	370/216-228.ccls. and (fail over or fail\$over) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 16:37
S76	1	10/798698	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 16:37
S77	178	370/216-228.ccls. and (fail over or fail\$over or failover) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 16:39
S78	667	("370" or "709").clas. and (fail over or fail\$over or failover) same (switch or adapter or adaptor or interface card or interface device or NIC or NID) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 17:03
S80	2	"20040146622"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/28 18:45

S84	59	("370" or "709").clas. and (fail over or fail\$over or failover) same (adapter or adaptor or interface card or interface device or NIC or NID) same switch and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 10:48
S85	166	HSRP and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:17
S86	32	HSRP and (probe packet or query) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:20
S87	354	"5473599"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/29 16:27
S89	2	"7130069".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/05/30 09:47
S90	16	uplink same fail\$over and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 10:39
S91	1134	switch same fail\$over and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 11:14
S92	56	switch same fail\$over and uplink and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 11:18



S93	30	switch same fail\$over and (server\$side or external) port and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 11:23
S94	73	switch with port same failure and (server\$side or external) port and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 11:28
S95	10	"6285656"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 11:30
S96	565	switch with fail\$over and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 11:31
S97	3	switch with fail\$over (probe or heart\$6) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 11:36
S98	185	switch with fail\$over and (probe or heart\$6) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 11:36
S99	2183	switch with (link or port) with failure and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 11:43
S100	179	switch with (link or port) with failure and (probe or heart\$6) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 11:44
S101	286	(detect or probe or identify) with switch with (link or port) with failure and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 11:47

S102	49	(detect or probe or identify) with switch with (link or port) with failure and (fail\$over) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 11:48
S103	7	switch with (port or link) same fail\$over and (server\$side or external) port and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 12:16
S104	1	switch with (port or link) same fail\$over and (server\$side or external) port and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310") and 370/217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 12:18
S105	601	(@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310") and 370/217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 12:18
S106	17	(uplink or external port or server \$side) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310") and 370/217.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 12:28
S107	2	"20030145117"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 13:22
S108	19	external port with fail\$4 and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 13:36
S109	104	switch port with fail\$4 and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/11/11 13:36

S110	32937	(probe or query or check or status or health) near3 switch and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 17:17
S111	261	(probe or query or check or status or health) near3 switch and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310") and (failover or fail\$over or fail over)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 17:18
S112	759	(fail\$5) near3 switch and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310") and (failover or fail\$over or fail over)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 17:48
S113	110	(fail\$5) near3 switch near4 port and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310") and (failover or fail\$over or fail over)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 17:49
S114	17245	switch with (probe or heart\$6) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 18:02
S115	18	switch with (probe or heart\$6) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310") and (failover or fail\$over or fail over) and (NIC or NID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 18:03
S116	62	switch near3 (failover or fail \$over or fail over) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310") and (NIC or NID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/15 18:14
S117	179	switch with (link or port) with failure and (probe or heart\$6) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/16 19:40

S118	18	switch with (probe or heart\$6) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310") and (failover or fail\$over or fail over) and (NIC or NID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/16 19:40
S119	62	switch near3 (failover or fail \$over or fail over) and (@pd<="20040310" or @ad<="20040310" or @rlad<="20040310" or @prad<="20040310") and (NIC or NID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/16 19:40

**7/ 26/ 2009 5:48:40 PM**

**C:\ Documents and Settings\ kmai2\ My Documents\ EAST\ Workspaces\ 10798698.wsp**